



New perspectives of robotic surgery are the topic highlighted in International Brazilian Journal of Urology

Luciano A. Favorito^{1,2}

¹ *Unidade de Pesquisa Urogenital - Universidade do Estado do Rio de Janeiro - Uerj, Rio de Janeiro, RJ, Brasil;*

² *Serviço de Urologia, Hospital Federal da Lagoa, Rio de Janeiro, RJ, Brasil*

The November-December number of *Int Braz J Urol* is the 25th under my supervision. In this number the *Int Braz J Urol* presents original contributions with a lot of interesting papers in different fields: Robotic Surgery, Prostate Cancer, Bladder Cancer, Ureteral stones, UPJ obstruction, Bladder dysfunction, Concealed Penis, Renal cell Carcinoma, Systematic review and Metanalysis. The papers came from many different countries such as Brazil, USA, Spain, Iran, Italy, Germany and China, and as usual the editor's comment highlights some of them. The editor in chief would like to highlight some papers in this number, specially the papers about robotic surgery:

Dr. Belkovsky and colleagues from Brazil, presented in page 668 (1) a nice systematic review about expulsive therapy for distal ureteral stones with Tamsulosin and Tadalafil and concluded that Tadalafil has a higher stone expulsion rate than tamsulosin as a medical expulsive therapy for patients with distal stones from 5 to 10 mm without differences in side effects.

Dr. Moschovas and colleagues from USA, presented in page 677 (2) a important systematic review about the Outcomes of Salvage Robotic-assisted Radical Prostatectomy in the last decade and concluded that salvage robotic-assisted radical prostatectomy in patients with cancer recurrence after previous prostate cancer treatment is safe and feasible. The literature is based on retrospective studies with inherent limitations describing low rates of intraoperative complications and small blood loss. However, potency and continence rates are largely reduced compared to the primary RARP series, despite the type of the primary treatment. Better-designed studies to assess the long-term outcomes and individually specify each primary therapy impact on the salvage treatment are still needed. Future articles should be more specific and provide more details regarding the previous therapies and S-RARP surgical techniques.

Dr. Nunes and Colleagues from Brazil performed in page 688 (3) a nice study about the Association between rectal diameter and response to treatment with parasacral transcutaneous electrical nerve stimulation and behavioral changes in children and adolescents with bladder and bowel dysfunction and concluded that rectal diameter appears to be relevant in the evaluation of children with BBD, not only as a diagnostic tool but also as a predictor of treatment outcome.

Dr. da Silva and Colleagues from Brazil performed on page 700 (4) an interesting study about the Dynamic and static ultrasound (DSUS) features predictive of vesicoureteral reflux (VUR) and renal damage in children and adolescents with neurogenic bladder and concluded that DSUS predicts VUR and renal scarring in children with NB with fair to good accuracy, and all measurements exhibited a high negative predictive value (NPV). The increase in RPD during voiding or detrusor contractions proved to

be the most accurate parameter for indicating the presence of VUR in this study.

Dr. Chen and Colleagues from China performed on page 716 (5) a nice study about the Head-to-head comparisons of enhanced CT, 68Ga-PSMA-11 PET/CT and 18F-FDG PET/CT in identifying adverse pathology of clear-cell renal cell carcinoma and concluded that 68Ga-PSMA-11 PET/CT demonstrates distinct advantages in identifying aggressive pathological features of primary clear-cell renal cell carcinoma (ccRCC) when compared to enhanced CT and 18F-FDG PET/CT. Further research and assessment are warranted to fully establish the clinical utility of 68Ga-PSMA-11 PET/CT in ccRCC.

Dr. Bertolo and colleagues from Italy performed on page 732 (6) a nice comparative analysis of perioperative outcomes about “Single-Surgeon” versus “Dual-Surgeon” in Robot-Assisted Radical Prostatectomy (RARP) and Pelvic Lymph-nodes Dissection (PLND) and concluded that when RARP and PLND are split onto two surgeons, the operative time is shorter by 20 minutes compared to when a single surgeon performs RARP and PLND.

Dr. Jing and colleagues from China performed on page 740 (7) an study about a new treatment of concealed penis: symmetrical pterygoid flap surgery, this paper is the cover of the present edition. The authors concluded that the symmetrical pterygoid flap surgery is an effective surgical technique for the management of concealed penis in children producing predictable results and excellent satisfaction of the parents and patients.

Dr. Benzi and colleagues from Brazil performed on page 749 (8) a interesting translational study about the Fowler-Stephens surgery and concluded that the upper portion of the abdominal testis in human fetuses had a higher concentration of vessels than the lower portion. These results suggest that manipulation of the lower end of the testis during Fowler-Stephens surgery should be avoided in order to preserve the collateral circulation.

Dr. Ditunno and Colleagues from Italy performed on page 757 (9) a nice report about your experience in Single Port (SP) Robotic Pyeloplasty and concluded that the observed outcomes and potential benefits, combined with the adaptability of the SP platform, hold promising implications for the application of SP system in pyeloplasty treatment.

The Editor-in-chief expects everyone to enjoy reading.

REFERENCES

1. Belkovsky M, Zogaib GV, Passerotti CC, Artifon ELA, Otoch JP, da Cruz JAS. Tamsulosin vs. Tadalafil as medical expulsive therapy for distal ureteral stones: a systematic review and meta-analysis. *Int Braz J Urol.* 2023 ;49:668-76.
2. Moschovas MC, Bravi CA, Dell'Oglio P, Turri F, de Groote R, Liakos N, Wenzel M, Würnschimmel C, Di Maida F, Piramide F, Andras I, Breda A, Mottrie A, Patel V, Larcher A. Outcomes of Salvage Robotic-assisted Radical Prostatectomy in the last decade: systematic review and perspectives of referral centers. *Int Braz J Urol.* 2023 ;49:677-87.
3. Nunes NC, de Abreu GE, Dourado ER, Veiga ML, Nacif A, Calasans MTA, Braga AANM, Barroso UJ Jr. Association between rectal diameter and response to treatment with parasacral transcutaneous electrical nerve stimulation and behavioral changes in children and adolescents with bladder and bowel dysfunction. *Int Braz J Urol.* 2023 ;49:688-99.
4. da Silva CMP, Vasconcelos MMA, Lima EM, de Bessa J Junior, Reis OAF, Filgueiras MFTF, de Azevedo RVM, Bastos JM Netto, Araújo Oliveira E, Cristina de Carvalho Mrad F. Dynamic and static ultrasound features predictive of vesicoureteral reflux and renal damage in children and adolescents with neurogenic bladder. *Int Braz J Urol.* 2023 ;49:700-15.
5. Chen SH, Lin BH, Chen SM, Qiu QR, Ruan ZT, Chen ZJ, Wei Y, Zheng QS, Xue XY, Miao WB, Miao WB. Head-to-head comparisons of enhanced CT, 68Ga-PSMA-11 PET/CT and 18F-FDG PET/CT in identifying adverse pathology of clear-cell renal cell carcinoma: a prospective study. *Int Braz J Urol.* 2023 ;49:716-31.
6. Bertolo R, Carilli M, Antonucci M, Maiorino F, Bove P, Vittori M. “Single-Surgeon” versus “Dual-Surgeon” Robot-Assisted Radical Prostatectomy and Pelvic Lymph-nodes Dissection: Comparative Analysis of Perioperative Outcomes. *Int Braz J Urol.* 2023 ;49:732-9.
7. Jing P, Zhao D, Wu Q, Wu X. A new treatment of concealed penis: symmetrical pterygoid flap surgery. *Int Braz J Urol.* 2023 ;49:740-48.

8. Benzi TC, Gallo CM, Fortuna A, Costa WS, Sampaio FJB, Favorito LA. Abdominal testicular vessel distribution in human fetuses - basis for fowler-Stephens surgery. *Int Braz J Urol.* 2023 ;49:749-56.
9. Ditonno F, Franco A, Manfredi C, Chow AK, Vourganti S, Cherullo EE, Autorino R. Single Port Robotic Pyeloplasty: early single-center experience. *Int Braz J Urol.* 2023 ;49:757-62.


CONFLICT OF INTEREST

None declared.

Luciano A. Favorito, MD, PhD

Unidade de Pesquisa Urogenital
da Universidade do Estado de Rio de Janeiro - UERJ,
Rio de Janeiro, RJ, Brasil
E-mail: lufavorito@yahoo.com.br

ARTICLE INFO

 **Luciano A. Favorito**
<http://orcid.org/0000-0003-1562-6068>

Int Braz J Urol. 2023; 49: 662-4